



INDEX

Symbols

'????' 91
16-bit data structures 122
1904 481
32 bits, editing 478
3D coordinates 436
68000 instructions 357

A

abbreviations, avoiding 390
About Box 9
'actb' 162, 185, 241
active item 84
Active List 28
actual ID
 changing the value of 94
 in bundles 92
'acur' 138, 141
adjacent pixel 111
adjacent pixels 107
alert
 changing its ID set 69
 resource IDs 61
alias files 20, 22
aligning items 228
alpha 328
'ALRT' 162
anchored growing 224
animated cursor 138
animating selection rectangles 285
ANSI C 458
anti-aliasing 112
 lines 109
 screen copies 114
 shapes 112
 text 110
'APPL' 91
Apple 9, 374
 and resource maps 342
 changing resource maps 24
 reserved types 14

Apple icon colors 103
Apple Technical Support Group 91
application
 font 243, 245
 resource ID ranges 14
 signature 91
archive 7
arrow controls 123
arrow keys 224, 372
 in the File Window 29
ASCII
 character codes 480
 control characters 373
 search 77, 374
asynchronous sounds 311
attrBaseline 499
attribute bits 466
 displaying 35
 icons for 32
 of new resources 61
attributes, resource 352
autograph. *See* application signature
 editing as a string 93, 323
 registering with Apple 91

B

background processing 301
backslash 462
backup 9
balloon help 247
 in Value Converter 480
 items 201, 207
 trying out 247, 269
BCC 364
beep, for hidden items 252
 in alerts 180
best item size 228
beta 328
binary instruction formats 361
bit field
 in a byte 399



RESORCERER USER MANUAL

- in a long 414
- in a word 426
- bit numbers 478
- bit values, toggling 154
- blanks 35
- 'bmap' 289
- 'BNDL' 90
- body 246
- bold border in File Windows 28
- boldface
 - in Types List 57
 - resource types 30
- 'BOOL' 400
- Boolean field 400
- BRA 364
- brainstorming 101
- bug, Dialog Manager 243
- bug fix number 328
- bugs 364
- bullet 316
 - for open resources 36
- bundle bit 51
- bundles
 - editing with a template 92
 - used by the Finder 90
- buried items 214
- Button items 188

C

- C code 249, 495
- C source code 86
- C string 386, 403, 405, 419
 - fixed-length 404
- caching Finder bundles 95
- Cancel button items 188
- Cancel Edit Session** command 62
- carriage return 371
- case differences
 - in resource names 15
- case-insensitive 465
- Caution alert 181
- 'ctb' 119, 129
- 'CDEF' 16, 130, 189, 191, 247, 358
 - generic 248

- 'cdev' 91
- centering items 223
- Change Type To** command 218
- changed resources 36
 - ignoring during **Save** 38
- changes to disk 23
- changing
 - resource attribute bits 73, 74
 - resource IDs 68, 75
 - resource names 73, 76
 - resource types 71, 77
- character data 366
- characters, non-printable 462
- Checkbox items 190
- checkmark 29
- 'cicn' 98, 195
 - in dialog items 117
 - in menus 267
- clearing resources 47
- Clinton, Bill 468
- clipboard 292
- clipping region 297
- Close All** command 63
- Close File** command 37
- cluster 232
- 'clut' 119, 185
- 'cmnu' 259
- 'CNTL' 129, 189, 191, 247
- 'CODE' resource 358
 - headers 362
 - renaming 472
- code, sample C source 86
- color
 - complement 126
 - components 123
 - coordinate system 123
 - cube 121
 - dialog control 241
 - Finder file icon 51
 - foreground and background 244
 - lookup table 119
 - choosing cursor 143
 - in 'cicn' resource 116
 - device 126
 - standard 98, 121



INDEX

- mapping 102
 - missing 124
 - ramp 121, 126
 - text 323, 325
 - Color Picker 123, 325
 - Color QuickDraw 88
 - Colors** menu 116
 - command keys
 - ignoring 268
 - in menu items 266
 - command number 260
 - comments, in scripts 462
 - compressed pictures 293
 - compression
 - while recording sounds 311
 - condition code 364
 - configuration parameters 146
 - configuring, Finder file flags 487
 - confirmation
 - setting preferences 336
 - constraining
 - dialog item movement 223
 - to horizontal or vertical 305
 - while aligning items 228
 - control
 - changing its ID set 70
 - color cable 130
 - custom 130
 - adding custom procIDs 133
 - trying out 247
 - definition function 130
 - dialog items 191
 - panel
 - dialogs 162
 - editing 240
 - template 130, 191
 - coprocessor 357
 - copying resources 49
 - corrupt pictures 293
 - corrupted or missing data 149
 - country code 328
 - covered item 214
 - crash 13
 - creating a new resource 32, 60
 - creating an empty file 26
 - creation date of a file 50
 - creator type
 - of a file 11
 - of a text file 249, 346
 - cropmarks 290
 - crosshair 227
 - 'crsr' 138
 - 'cSNP' 102
 - ctFlags field 126
 - current layer 240
 - 'CURS' 138
 - cursor 138
 - animated 81
 - color 82
 - mask 140
 - design rule 139
 - custom resources 383
 - custom WDEF 168, 186
 - cutting resources 44, 46
 - CYMK colors 123
- ## D
- Data Editor 145
 - data fork
 - creating resources from 469
 - resource 295
 - scripts 456
 - date 404
 - Value Converter field 481
 - DBcc 364
 - 'dctb' 56, 119, 162, 185, 241
 - debugger 363, 364, 379
 - DebugStr 379
 - dedicated editor 57
 - bypassing 147
 - default
 - background menu color 272
 - 'CASE' value 147, 402
 - item 188
 - item outline 180
 - resource IDs 351
 - deselecting resources 31
 - as an end of search 31
 - in the scrap file 45



RESORCERER USER MANUAL

- desk accessories, ID range 14
- desktop, simulated 114
- desktop
 - bit 51
 - file, rebuilding 96
 - patterns 114
- diacritical mark
 - in resource names 15
- diagonal fill algorithm 111
- dialog
 - centering 185
 - changing its ID set 69
 - duplicating 172
 - initial window position 167
 - opening all 166
 - resource IDs 61, 164
 - strange conditions when opening 169
- dialog items
 - burying 232
 - enabling and disabling 217
 - finding references 117, 135, 298
 - growing 224
 - moving 223
- Dialog Manager
 - and trying a dialog out 247
- diamond shifter 277, 306
- diamond symbol 36, 68
- differences, finding 379
- disassembler 357
- disassembling
 - instructions 357
 - pictures 289
 - code 379
- disk space, saving 471
- dither patterns 104
- dithered gray levels 284
- dithering, optional 102
- 'DITL' 162
 - shared 59
- divider line
 - in a dialog 197
 - in a menu 265
- 'DLGX' 162, 254
- 'DLOG' 162

- document type 90
- dogcows 491
- doubling dimensions 292
- 'Doug' 467
- drag bars, slightly different 169
- DrawPicture 293, 297
- drivers, ID range of 14
- 'DRVr' 16
- duplicate resource IDs 23
- Duplicate Selection** 49
- duplicating
 - closed resources 49, 66
 - open resources 66

E

- Edit Text items 194
- efficiency, floating point 425
- empty bounding boxes 252
- empty files 26
- enabled items
 - in dialogs 217
 - limits in a menu 267
- eraser tool 110
- EraseRect 326
- error messages 313
 - format 475
- ErrorSound 180
- escape sequences 462
- etymologies of resource types 486
- event filter 247
- event loop 249
- exponent
 - floating point 478
 - bit 482
- expression evaluation 459, 463
- extended precision 428
- extensibility
 - and filters 386
 - and keyed items 442
 - and templates 385
- extension attribute 36
- extension bit and compression 16
- extra data 149
- eye dropper tool 108



INDEX

F

- family tree 444
- fat bits 307
- favorite file 20, 22
 - editing the list of 347
- 'fctb' 119
- fidelity of a sound 311
- field types
 - making visible 157
 - that can't be edited 150
- field values, displaying 150
- file creator 11, 50, 90
- File Info** 90
- File is init'd bit 95
- File menu** 20
- file type 11, 20, 50, 90
 - 'APPL' 91
 - 'cdev' 91
 - 'TEXT' 21
 - within an 'FREF' 94
- File Window, layout 27
- files
 - already open 23
 - created by Resorcerer 20
- filled shapes 112
- filterConvert 448
- filtered template 386, 407
- filters 148, 446
- Finder
 - file attribute bits 50
 - file info 27
- fingers, default number of 377
- first free ID 325
- fixed point 406, 407, 408, 423, 482
- fixed-length data 385
- flipping pixels 108
- floating point 405, 406,
 - 421, 425, 428, 478, 481
- 'FMAX' 484
- folders
 - suppressing 21
 - suppressing the display of 457
- font number 242, 245
- Font/DA Mover 16

- fonts, missing 326
- FontWidth fixed point values 481
- fork, resource 12
 - missing 23
- formally hidden items 230
- FPU 357, 425, 428
- Fract 407, 481
- frame 246
 - peeking at cursor 141
- 'FREF' 91
- front clicks 301
- fruit company 374

G

- GetCCursor 88
- GetCursor 88
- GetIndPattern 282
- GetIndString 314
- GetResData 448
- goAway box, missing 173
- governer 86
- gray dusting of bits 168
- gray ramp 284
- grayed out 242
- grid settings 222
- grouping items 226
- grow handles 216, 234
- grow icon
 - displaying temporarily 182

H

- hand cursor 182
- handles and item selection 213
- Has bundle bit 95
- 'hdlg' 201
- 'HDRA' 440
- 'HDRN' 436
- header files 455, 458, 460
- Help item 201
- help messages 313
- hesitation, not 468
- hex dump 403, 408, 411
- Hex Editor 58, 365, 385
- 'HEXA' 366



RESORCERER USER MANUAL

hidden items, selecting 214, 215
Hide File Windows command 39
HideItem 171
hierarchical sub-menu
 resource ID 266
high-level events 302
hints 333
HLS colors 123
hot-linking 479
hotspot 140
'hrct' 201
HSB colors 123
humans as programmers 15
hung computer 86
'HUNK' 446
HyperCard 310

I

'icl4' 98
'icl8' 98
'icm4' 98
'icm8' 98
'ICN#' 98
icon
 black and white 98, 304
 family 94, 98
 links to file types 90
 items 195
 mask 113
 scaling 115
 dialog items 117
'ICON' 98, 195, 247
 list of all 239
'ics#' 98
'ics4' 98
'ics8' 98
'ictb' 162, 219, 241
 Dialog Manager bug 492
 expanded vs. compacted 244
importing scrap types 49
inactive modal dialogs 168
indexing for random access 386
index popups 158
inited bit 51

insertion fields 445
instruction formats 361
instructions, illegal 359
interior holes in icon masks 113
international markets 14
intersecting items 232
inverted bounding boxes 171
inverting icon data 305
invisible bit 51
invisible characters 35
'iSNP' 101
item
 bounding box vs. item definition
 box 213
 color table 241
 display list 212, 213
item number 207
 feedback during try-out 247
 first free 204
 renumbering automatically 209
 setting 211

J

Jan. 1, 1904 481
jump table 363

K

'kcs#' 98
'kcs4' 98
'kcs8' 98
keyboard icons 98
keyed item 410
keywords in scripts 464
'KMAP' 98
known types 60
'kSNP' 102

L

label, resource type 486
 colorings 114
lasso selections 106
layer 200
 in Control Panel editor 240



INDEX

'LDEF' 496
library of icon snapshots 101
line breaks 370
list insertion caret 84
list of counted items 399, 414, 428
List User items 198
local ID in bundles 92
localization 13
locked bit 15
 of a file 51
locked file 337
logical end of resource data 148
lowercase chars in resource types 14

M

Mac Plus 168
MacApp 232, 259
machine instructions 357, 358
MacPaint undo 276
macro definitions 460
MacsBug 363, 379
 names 359, 360
magnification factor 101
magnifying item positions 225
mapping colors to black or white 140
mappings, resource ID 92
marching ants
 105, 113, 214, 285, 491
margins 222
Mark/Unmark command 30
mask 113
 icon 98
Master Disk 7, 9
maximum
 length of text items 238
 number of files 484
'mctb' 259
'MDEF' 16, 247, 263, 358
memory
 even addresses 396
 free 7
 loading programs into 13
 using up 292
'MENU' 199, 247, 259

menu
 changing its ID set 70
 color table 260
 colors 271
menu bar height 184
Menu Manager 115
MenuID field 264
mini-icons 98
minimum width of hex data 367
mirroring pixels 108
missing dialog item list 170
modal dialog 247
mode, Quickdraw drawing 243
modification date
 field type 418
 of a file 38, 50
Monitors Control Panel 114, 121
moof 491
move/grow mechanism 182
moveable modal windows 178
MPW resources 420
'mst#' 313
multibit fonts 243

N

name-dropping 471
NAN (Not A Number) 481
negation 463
nesting levels 388
New File command 26
new resource
 creating a 32
 'PICT's 61
New Resource command 60
nightmare 458
non-printable ASCII characters 366
NOP instruction 364
Note alert 181
'nrct' 162, 200, 240
null byte 386, 399
null events 301

O

octal 482



RESORCERER USER MANUAL

- offsets
 - hex 366
 - of filtered data 157
- OK Button items 188
- 'ONLY' 490
- opcodes 289
 - picture 296
- Open button in File windows 34
- Open File** command 20
 - favorite files 24
- Option key
 - for expanded 'ictb's 492
- Option-click
 - in File's GoAway box 38
 - to bypass dedicated editors 61
- optional minor resources 166
- 'OSWP' 492
- outline thickness 437
- outside libraries 249
- overhead in disassembler 359
- overview window 176, 184
 - customizing 494
- owned resources 16, 17
 - changing IDs of 70
 - including in selection 339
- owning resource type 35
- P**
- 'PACK' 16
- paint bucket tool 111
- paint programs 100, 105, 307
- Paint tool 305
- Palette Manager 120
 - suppressing 120, 128
- panel 197, 232
- paragraph boundaries 368
- ParamText 248
- partition size 365
 - increasing 359
- Pascal code 495
- Pascal
 - string 386, 401, 405, 419, 420
 - in application autographs 93
 - indexed 453
 - maximum length 319
 - within an 'FREF' 94
- pasting resources 48
- 'PAT' 275
- 'PAT#' 275, 281
- Patashnik,
 - Oren 50, 367, 446, 486, 496
- patches
 - making 364
 - in code resources 374
- pathnames of favorite files 25
- PC-relative branch 362
- 'PDEF' 16
- pencil tool 109
- personalizing 9
- 'PGON' 433
- 'PICT' 196, 247, 289
 - text-only 325
- 'PICT' data file 295, 469
- picture stretching 297
- Pixmap
 - indexed 125
 - large offscreen 101
 - reduction 116
- PleaseWait 448
- PlotCIcon 98
- PlotIcon 98
- PlotIconSuite 98, 110, 113, 114
- PMMU 357
- Point 419, 482
- 'POLY' 433
- polygon 433
- popup boxes 154
- PopUp Menu User items 199
- popup palette 103
- PostScript 325, 482
- powers of 2 115
- precedence 463
- preferences
 - Icon Editor's 102, 105, 109, 111
 - Dialog Editor's 251
 - Resorcerer's 331
- preferred item size 228
- preload bit 15
- preprocessor directives 458



INDEX

print driver 51
printing
 a dialog 249
 a menu 273
 a resource listing 53
 a string list 321
 custom resources 159
 hex data 380
 template fields 383
processor speed 86
procID
 for window types 178
 in 'CNTL's 130
progress window 22
prompts 313
protected bit 16
 ignored 72
purgeable bit 15

Q

'QUAD' 430
question marks 210
Quick Open command 20, 24
QuickDraw commands 196
QuickSort, watching 124
quote conversion 325, 334
quote marks, for resource names 35

R

radio button groups 235
RadioButton dialog items 190
raw keyboard characters 372
read-only resource maps 51
rebooting 86
recording sounds 311
Rect structure 422
Rectangle items 200, 207
Rectangle Lists 162
rectangular selections 105
recursive list
 cutting and pasting within 156
 example of 444
recursive templates 423
refCon field

 in 'CNTL's 132
 in 'DLOG's and 'WIND's 177
registering lines 368
related resources 55
 cutting and pasting 45
 including in selections 339
 resource information for all 34
relative offsets 378
release number 328
reordering cursor frame IDs 85
repainting pixels 108
requirements for installation 7
ResEdit 3, 392
 and 'TMPL' compatibility 385
 templates 8
 "All work and no pay makes Jack a dull app"
reserved bit fields 434
reserved for Apple 489
 resource IDs 14
 resource types 14
resizing 'cicn's and 'ppat's 115
resolution
 of single precision floats 481
Resorcerer
 configuring 483
 demo version 9
 document icon 26
 editing itself 24
 personalizing 9
 Preferences file 331
 quitting 23
 templates folder 8
 what it's good for 14
resource
 attribute bits 15, 72, 473
 attribute preferences 352
 customized data display 495
 editing a referenced 153
 forks, files with 21
 ID number 12
 information 34
 map
 attribute bits 51
 flags 489
 name 12



RESORCERER USER MANUAL

- changing 471
- displaying 35
- drawing 496
- format of 15
- of a template 146
- order on disk 38
- owned resource sub-ID 17
- ranges in scripts 465
- references across file boundaries 56
- set 56
- synonym preferences 349
- type 12
- type descriptions 32, 486
- resource editing
 - template fields 397
 - with templates 445
- resource ID
 - changing 474
 - changing a dialog's 187
 - format of 14
 - lists 83
 - mappings 92
 - negative 17, 35
 - of an application autograph 93
 - preferences 351
 - template field 422
 - type
 - changing 71
 - format of 14
 - ordered alphabetically 30
 - predefined 13
 - reserved for Apple 384
 - selecting by searching 31
 - unique 61
- Resource Manager 12, 384
 - bypassing during file opens 24
 - retrieving resources 15
 - using to open a file 342
- Resource Scrap file 44, 292, 485
- resource types
 - 'actb' 162, 185
 - 'acur' 81, 138
 - 'alis' 22
 - 'ALRT' 162
 - 'bmap' 289, 290
 - 'BNDL' 90
 - 'BOOL' 400
 - cctb' 119
 - 'cctb' 129
 - 'CDEF' 16, 130, 189, 191, 247, 248, 358
 - changing 474
 - 'cicn' 98, 195, 267
 - 'clut' 119, 185
 - 'cmnu' 259
 - 'CNTL' 129, 189, 191, 247
 - 'CODE' 358
 - 'crsr' 81, 138
 - 'cSNP' 102
 - 'CSNP' 141
 - 'CURS' 81, 138
 - 'dctb' 56, 119, 162, 185
 - 'DITL' 162
 - 'DLGX' 162, 254
 - 'DLOG' 162
 - 'DRVR' 16
 - 'fctb' 119
 - 'FMAX' 484
 - 'FREF' 91
 - 'hdlg' 201
 - 'HDRA' 440
 - 'HDRN' 436
 - 'HEXA' 366
 - 'hrct' 201
 - 'HUNK' 446
 - 'icl4' 98
 - 'icl8' 98
 - 'icm#' 98
 - 'icm4' 98
 - 'icm8' 98
 - 'ICN#' 98
 - 'ICON' 98, 195, 247
 - 'ics#' 98
 - 'ics4' 98
 - 'ics8' 98
 - 'ictb' 162, 219, 241
 - 'iSNP' 101
 - 'kcs#' 98
 - 'kcs4' 98
 - 'kcs8' 98



INDEX

- 'KMAP' 98
- 'kSNP' 102
- 'LDEF' 358, 496
- 'LSTR' 323
- 'mctb' 259
- 'MDEF' 16, 247, 263, 358
- 'MENU' 199, 247, 259
- 'mst#' 313
- 'nrct' 162, 200, 240
- 'ONLY' 490
- 'OSWP' 492
- 'PACK' 16
- 'PAT' 275
- 'PAT#' 275, 281
- 'PDEF' 16
- 'PGON' 432
- 'PICT' 196, 247, 289
- 'POLY' 432
- 'QUAD' 430
- 'RSV1' 16
- 'RSV2' 16
- 'RSYN' 384
- 'SCTB' 494
- 'SHOW' 52, 495
- 'SICN' 266, 303
- 'SIZE' 299
- 'SLAG' 387
- 'snd' 309
- 'SPUD' 151, 446
- 'STR' 93, 323
- 'STR#' 313
- 'styl' 323
- 'TEXT' 323
- 'TMPL' 8, 145, 313
- 'TOUT' 491
- 'TYP#' 313, 486
- 'vers' 93, 327
- 'view' 430
- 'wctb' 119, 162, 185
- 'WDEF' 16, 168, 178, 247, 253
- 'WIND' 162
- 'WSTR' 323
- resources
 - changed 36
 - compacted 446
 - compressed 36
 - conforming 149
 - copying to the scrap 49
 - displaying values 32
 - editable 30
 - encrypted 446
 - 'hmnu' 269
 - major and minor 55
 - marking 29
 - optional minor 56
 - owned 16
 - private or custom 146
 - replacing from the scrap 48
 - reverting 64
 - saving and closing 63
 - what they are 11
 - with missing data 149
- Resources List 28
- Revert File** command 39
- revision number 328
- Rez 455
- RGB color 123, 403
- ROM color tables 121
- room, saving in 'PICT's 32
- rotating pixels 108
- 'RSC#' scrap type 485
- S**
 - sample
 - alert 206
 - menu 268
 - pattern 278
 - SANE 425, 428, 481
 - SAREz 455
 - Save As** command 38
 - Save File** command 37
 - saving to disk 37
 - scaled fonts 243
 - Scc 364
 - scrap types
 - 'acur' 85
 - 'RSC#' 485
 - to import 485
 - screen copying 128



RESORCERER USER MANUAL

- cursors 142
- hiding file windows during 39
- icons 113
- of a dialog with selected text 248
- patterns 279
- pictures 297
- screen sizes 183
- screen snapshots 290
- screen-copying 325
- script, 21
 - running a 456
 - icons 98
 - system, reversed 229
- 'SCTB' screen table 494
- searching
 - resource data 79
 - resource names 80
 - resources for text 77
- segments of an application 13
- selecting marked resources 29
- selections
 - discontiguous 122
 - editing 107
 - maintaining 108
 - nudging 107
- sentinel offset value 450
- Set Text Style** command 52
- SetCCursor 88
- SetCursor 88
- SetResFileAttrs 490
- shading inactive dialogs 251
- shape tools 112
- shareable bit 51
- shDeclareVersion 496
- shell 247
- shifting 463
- Show Clipboard** command 44
- 'SHOW' code resources 52, 495
- ShowRecord 495, 497
- 'SICN' 266, 303
- signature. *See* application signature
- silence 180
- single-precision 478, 481
- 'SIZE' 299
- size of resource fork 52
- skip offset 401, 411, 415, 423, 427
- 'SLAG' 387
- small dot 36
- smoothing by hand 112
- smudger tool 112
- snapshot list
 - in Cursor Editor 140
 - in Icon Editor 101, 306
 - in Pattern Editor 277
- 'snd' 309
- sorting
 - colors by component 124
 - initial 35
 - resource types 30
- sound number 180
- Space Bar
 - and snapshots 101, 306
 - for moving a dialog 183
- space character, in resource types 14
- 'SPUD' 151, 446
- srcCopy 243
- srcOr 243, 326
- stage number 328
- stages word 188
 - of an alert 179
- Standard Print Job dialog 203
- standard window colors 175
- standards for data 12
- starter code 247, 249
- Static Text dialog items 193
- stationery-type document 302
- Stop alert 181
- 'STR' 93, 323
- 'STR#' 313
- stretching dialog item groups 225
- string
 - long 417
 - word-length 427
- stub definition function 253
- styled text 323
- styles of text in a dialog 241
- sub-ID 17
 - displaying 35
- suffix, resource file 21
- surgery, code 364



INDEX

- suspend or resume events 301
- swapping colors 103
- switch statement
 - template equivalent of 410
- symbolic cases 154, 402
 - displaying 150
- symbolic resource IDs 459
- synchronous sounds 311
- synonym table 384
- syntax error 458
- synthesizers 310
- sysFontSize 499
- sysHeap bit 16
 - ignored 72
- System 6.0 240
- System 7.0 20, 302
- System file 242
 - opening 23
 - bit 51
- System folder 146
- system font 189, 193, 229, 242
- system resources
 - ID range 14
- T**
- Tab key
 - searching in the File Window 31
- table of contents 386
- template
 - intermediate 445
 - 'PICT' 289
- template field types 392
- templates 3, 8, 383
 - error checking 148
 - importing as text 391
 - search order 146
- testing, user-interface 86
- testing resources 24
- text
 - files 21
 - in resources 13
 - style, 325
 - of hex and code data 363, 377
 - of string lists 315
 - of custom resources 158
 - of dialog window 256
 - of Resources List 52
 - tool 110
- text-only 'PICT's 289, 325
- TextBox 326
- TextEdit limits 323
- THINK C 24, 362, 425
- threshold size 248, 253
 - for definition functions 171
- thumb 246
- ticks 83
- timeout during screen copying 491
- 'TMPL' 8, 145, 313
 - and resource names 385
- tooggling bit values 154
- tolerance 125
- 'TOUT' timeout 491
- transformation index 437
- TRAPcc 364
- trying out
 - animated cursors 83
 - balloon help 247, 269
 - controls 135
 - cursors 141
 - custom controls 247
 - dialogs 247
 - sounds 311
- 'TYP#' 313, 486
- Types List 28
- U**
- unary minus 463
- Unique ID button 61
- unique item numbers 248
- unique resource IDs 14
- unsigned decimal 482
- unsigned decimal field 424, 425
- untypable characters 238
- update activity, avoiding 251
- upper or lower case 325
- uppercase in resource types 14
- usage, palette entry 125
- Use Best Size** 132



RESORCERER USER MANUAL

Use Window Font bit 189, 191
for controls 133
useless but elegant info 378
User items 197

V

value converter 455, 477
variation code
of a 'CDEF' 133
of a 'WDEF' 178
VBL task 88
'vers' 93, 327
version word 148
'view' 430
viruses, guarding against 7

W

WaitNextEvent 301
'wctb' 119, 162, 185
'WDEF' 16, 168, 178, 247, 253

custom 253
white space 373
widget 151
Will Robinson 363
'WIND' 162
window
bounds and dragging items 223
changing its ID set 70
size restoration 24
title font size 62
Window Definition Functions
too small 170
word boundaries 366
word wrap 229, 325
hex 360
working file 457

Z

zoom box in the File Window 27
ZoomRects 253